

INDEX MAPS.

T. 13N, R. 5E. 2nd Mer.

	153-156	153-156	153-156	154-155	154-155	154						
158	6	181	5	175	4	171	3	167	2	163	1	152
	181	180	175	170	166	162						
158	7	180	8	174	9	170	10	166	11	162	12	152
	179	180	174	170	166	161						
158	18	179	17	173	16	169	15	165	14	161	13	152
	178	179	173	169	165	161						
157	19	178	20	173	21	169	22	165	23	160	24	151
	177	177	172	168	164	160						
157	30	177	29	172	28	168	27	164	26	159	25	151
	176	176	172	167	163	159						
157	31	175	32	171	33	167	34	163	35	159	36	151
	150	150	150	149	149	149						

T. 14N, R. 5E. 2nd Mer.

	192		192		191		191		191		190	
194	6	217	5	211	4	207	3	203	2	199	1	190
	217		216		211		207		202		198	
194	7	216	8	210	9	206	10	202	11	198	12	189
	216		215		210		206		201		197	
193	18	215	17	210	16	205	15	201	14	197	13	189
	213		214		209		205		201		197	
193	19	213	20	209	21	205	22	200	23	196	24	189
	214		214		209		204		200		196	
193	30	213	29	208	28	204	27	200	26	195	25	188
	212		212		208		204		199		195	
192	31	211	32	207	33	203	34	199	35	194	36	188
	185-188		185-188		185-187		185-187		186-187		186	

The figures on the lines refer to the page.

Township N. 14 North, Range N. 5 East 2. Mer. Ind.

Township Lines.

South Boundary.

Random Line. Var. 7° 06' E.

East on the S. Boundary of Sec. 31

22.50 a Branch 5 lbs. wide course SE

34.81 an Ash 20 in. dia.

40.00 set temp. of sec. post

63.26 a Beech 20 in. dia.

80.00 set temp. post for con. of sec. 31 & 32

Ground flat, Beech, Sugar, Ash, Elm, Gum

East on the S. Boundary of Sec. 32

33.90 a Beech 25 in. dia.

40.00 set temp. of sec. post

80.00 set temp. post for con. of sec. 32 & 33

Ground flat, Beech, Sugar, Elm, Poplar, Gum,
Gum, Spice

East on the S. Boundary of Sec. 33

0 a creek 40 lbs. wide course SW

22.25 a Beech 18 in. dia.

40.00 set temp. of sec. post

54.32 an Ash 25 in. dia.

80.00 set temp. post for con. of sec. 33 & 34

Ground flat, timber as last noted.

East on the S. Boundary of Sec. 34

3.90 an Ash 40 in. dia.

24.38 a Poplar 40 "

30.00 enter Marsh, Brambles &c.

40.00 set temp. of sec. post on E. edge of a Marsh

80.00 set temp. post for con. of sec. 34 & 35

Ground flat, Beech, Sugar, Ash, Elm, Poplar, Gum
& W. Spice, Pawpaw July 8. 1819

T. 14 N., R. 5 E. 2.^d Mer. Ind.^a

East on the S. Boundary of Sec. 35

17.13 a Beech 20 in. dia.

40.00 set temp. g. sec. post

46.80 to a Branch of White River 100 yds. wide, S 30 E

55.00 same, course NE

67.79 a Beech 22 in. dia.

76.00 a Creek 100 yds. wide course SE

80.00 set temp. post for cr. of sec. 35 & 36

Good farming land, Beech, Sugar, Ash, Hickory
Gr. Wyr. Spice

East on the S. Boundary of Sec. 36

11.84 an Ash 30 in. dia.

40.00 set temp. g. sec. post

49.25 a Beech 20 in. dia.

70.87 set post cr. of T. 13 & 14 N., R. 5 & 6 E

Ground flat same as last, Beech, Ash, Oak,
Hickory, Gum; Wyr. Spice.

Corrected Line. Var. 7.⁰⁰ E.

West on the S. Boundary of Sec. 36

38.90 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 15 in. dia. bears N 45 E 15 yds. dist. 8

a Do 6 " " " S 41 W 25 " "

53.00 a Creek 100 yds. wide course S

55.40 same, course E. & keep channel

80.00 set post cr. of sec. 35 & 36 in bank of said creek
from which

a Sycamore 20 in. dia. bears S 72 E 15 yds. dist. 8

a Do 21 " " " N 4 E 18 " "

First 1/2 mile level land, 1/2 mile overflowed
bottom, timber Sycamore & Wyr. Spice

T. 14 N., R. 5 E. 2^d Mer. Ind.^a

West on the S. Boundary of Sec. 35

2.50 same creek course S E

8.25 a Buckeye 15 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. diameter S 10 E 23 lbs. dist. 18

a Do 6 " " " N 11 W 22 " "

47.05 a Do 30 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 10 in. diameter S 17 W 21 lbs. dist. 8

a Do 15 " " " N 60 E 37 " "

Level land, timber Beech, Ash, Wg. Spruce, Plum &c.

West on the S. Boundary of Sec. 34

21.50 an Elm 27 in. dia.

40.00 set g. sec. post from which

an Ash 36 in. diameter N 29 W 14 lbs. dist. 18

a Beech 24 " " " S 53 E 22 " "

47.05 a Do 21 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 14 in. diameter S 66 E 7 lbs. dist. 8

a Do 12 " " " N 77 W 34 " "

Level land, timber as before noted

West on the S. Boundary of Sec. 33

12.50 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. diameter S 66 E 14 lbs. dist. 8

a Do 10 " " " N 19 W 17 " "

43.30 a Branch 10 lbs. wide course S E

57.50 a Beech 18 in. dia.

80.00 set post cor. of sec. 32 & 33 from which

a Beech 15 in. diameter N 69 E 17 lbs. dist. 18

a Do 12 " " " S 72 W 25 " "

T. 14 N., R. 5 E. 2^d Mer. Ind.^a

Level land, timbered Beech, Elm, Ash & Alder,
Spice, Dogwood &c.

West on the S. Boundary of Sec. 32

29.35 a Beech 15 in. dia.

40.00 set g. sec. post from which

an Elm 6 in. dia. bears N 51 E 11 lbs. dist. 8

a Beech 9 " " " S 65 W 22 " "

51.80 a Spruce 14 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 27 in. dia. bears N 16 W 11 lbs. dist. 8

a Spruce 12 " " " S 21 E 27 " "

Level land, timbered as before noted

West on the S. Boundary of Sec. 31

24.75 an Elm 30 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. dia. bears S 58 W 13 lbs. dist. 8

a Spruce 7 " " " N 80 E 13 " "

70.87 to Town corner.

Level land, timbered as before noted.

East Boundary. Var. 6° 00' E.

North on the E. Boundary of Sec. 36

40.00 set g. sec. post from which

a Beech 14 in. dia. bears N 25 W 38 lbs. dist. 8

a Spruce 18 " " " S 12 E 18 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 24 in. dia. bears S 44 E 13 lbs. dist. 8

a Spruce 13 " " " N 45 W 29 " "

Over level land, timbered Beech, Oak &c.

North on the E. Boundary of Sec. 25

T. 14 N., R. 5 E. 2^d Mer. Ind.^a

- 40.00 set g. sec. post from which
 a Beech 10 in. dia. leans S 69 E 14 lbs. dist. 18
 a Do 14 " " " N 38 E 21 " "
- 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 14 in. dia. leans N 62 W 19 lbs. dist. 18
 a Sugar " " " S 22 E 25 " "
 Over level land, timber Beech, Oak, Upr. Spruce
-

North on the E. Boundary of Sec. 24

- 39.00 a Brook 2 lbs. wide course S W
- 40.00 set g. sec. post from which
 a Beech 15 in. dia. leans S 33 E 31 lbs. dist. 8
 a Do 8 " " " N 28 W 20 " "
- 56.80 an Ash 16 " "
- 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 16 in. dia. leans S 25 W 21 lbs. dist. 8
 a Do 1 " " " N 57 E 20 " "
 Over rolling land, timber Beech, Ash, Oak
 & Upr. Spruce
-

North on the E. Boundary of Sec. 13

- 40.00 set g. sec. post from which
 a Beech 13 in. dia. leans S W 12 lbs. dist. 8
 an Elm 36 " " " S 63 E 14 " "
- 46.40 a Creeke 100 lbs. wide course S W
- 50.10 a Hackberry 14 in. dia.
- 80.00 set post cor. of sec. 12 & 13 from which
 a Sugar 15 in. dia. leans S 77 E 10 lbs. dist. 8
 a Beech 20 " " " S 73 W 29 " "
 Over good farming land, timber Beech, Sugar
 Ash & Undergr. Spruce
-

North on the E. Boundary of Sec. 12

T. 14 N., R. 5 E. 2. Mer. Ind.^a

16.90 a Beech 18 in. dia.

40.00 set g. sec. part from which

a — 18 in. dia bears North 14 lbs. dist. 8

a Beech 10 " " " N 76° W 64 " "

52.05 a Do 16 " "

80.00 set part cen. of sec. 10 & 12 from which

a Beech 9 in. dia bears S 20° W 20 lbs. dist. 18

a Do 15 " " " N 70° E 9 " "

Over level land, timber Beech, Sugar, Ash,
Upr. Spice, Briar &c.

North on the E. Boundary of Sec. 1

40.00 set g. sec. part from which

a Sugar 12 in. dia bears S 17° W 12 lbs. dist. 8

a Beech 12 " " " N 29° W 6 " "

80.00 set part cen. of T. 14 & 15 N., R. 5 & 6 E. from which

a Beech 12 in. dia bears N 18° E 12 lbs. dist. 8

a Do 20 " " " S 35° W 22 " "

Over level land, timber Beech, Hickory &
Upr. Spice. July 30th 1819

North Boundary.

West on the S. Boundary of Sec. 36, T. 15 N., R. 5 E

18.08 a Hickory 10 in. dia.

20.70 a Creek 20 lbs. wide course S

40.00 set g. sec. part from which

a Ash 15 in. dia bears S 15° E 10 lbs. dist. 8

a Beech 18 " " " N 44° W 5 " "

69.00 a Hickory 16 " "

80.00 set part cen. of sec. 35 & 36 from which

a Beech 22 in. dia bears N 89° E 14 lbs. dist. 8

a Do 14 " " " N 79° W 36 " "

Over level land, timber Beech, Ash, Hickory &c.

T. 14 N., R. 5 E. S. Mer. Ind.^a

Uplowth Spice

West on the S. Boundary of Sec. 35, T 15 N, R 5 E
29.20 a Beech 20 in. dia.

40.00 set of sec. part from which

a Beech 8 in. dia bears N 79 E 8 lbs. dist. 8

a Dr 13 " " " N 17 W 16 " "

67.71 a Dr 18 " "

80.00 set part cor. of sec. 34 & 35 from which

a Beech 14 in. dia bears S 83 E 21 lbs. dist. 8

a Dr 9 " " " N 85 W 16 " "

Over level land, timber Beech, Oak &c.

West on the S. Boundary of Sec. 34, T 15 N, R 5 E

40.00 set of sec. part from which

a Beech 15 in. dia bears N 16 W 27 lbs. dist. 8

a Dr 14 " " " S 45 W 13 " "

61.67 a Lycamore 40 " "

63.00 a Creek 70 lbs. wide crosses S

80.00 set part cor. of sec. 33 & 34 from which

a Beech 30 in. dia bears N 80 E 40 lbs. dist. 8

a Lycamore 13 " " " N 60 W 11 " "

Over level land, timber Beech, Oak &c. Upl.

Spice. July 31. 1819

West on the S. Boundary of Sec. 33, T 15 N, R 5 E

22.80 a Beech 15 in. dia.

40.00 set of sec. part from which

an Ash 9 in. dia bears S 84 E 35 lbs. dist. 8

a Beech 7 " " " N 20 W 15 " "

56.18 an Elm 13 " "

80.00 set part cor. of sec. 32 & 33 from which

an Oak 7 in. dia bears N 7 E 12 lbs. dist. 8

T. 44 N., R. 5 E. 2. Mer. Ind. a

a Gum 14 in. diameter S 10 W 5 lbs. ditto.

Over level land, timber Beech, Elm, Ash &
Upr. Spice

West on the S. Boundary of Sec. 32, T 15 N, R 5 E
32.48 a Hickory 14 in. dia.

40.00 set of sec. post from which

an Oak 28 in. diameter N 75 W 16 lbs. ditto &

an Ash 17 " " " N 37 E 16 " "

49.48 a Beech 18 " "

80.00 set post cor. of sec. 31 & 32 from which

a Hickory 8 in. diameter N 71 E 17 lbs. ditto &

a Do 6 " " " N 75 W 12 " "

Over level wet land, timber Beech, Elm, Oak
& Upr. Spice

West on the S. Boundary of Sec. 31, T 15 N, R 5 E

16.01 an Oak 48 in. dia.

40.00 set of sec. post from which

a Beech 22 in. diameter N 52 E 30 lbs. ditto &

a W. Oak 12 " " " S 28 W 6 " "

52.18 a Beech 16 " "

73.07 set post cor. of T. 14 & 15 N, R. 4 & 5 E. from which

a Beech 18 in. diameter S 85 E 35 lbs. ditto &

a Gum 20 " " " S 67 W 12 " "

Land & timber the same as last noted.

August 1. 1819

West Boundary.

North on the E. Boundary of Sec. 30, T 44 N, R 4 E

13.08 an Oak 44 in. dia.

40.00 set of sec. post from which

a Beech 16 in. diameter S 62 E 23 lbs. ditto &

T. H. N., R. 5 E. 2. Mer. Ind. a

a Beech 24 in. diameter N 63° W 19 lbs. dit.
 61.00 an Ash 30 " "
 80.00 set part cor. of sec. 25 & 36 from which
 a Beech 14 in. diameter S 20° W 23 lbs. dit. 8
 a Sugar 10 " " " North 15 " "
 Over good farming land, timber Beech, Sugar,
 Ash, Walnut & Upr. Spice

North on the E. Boundary of Sec. 25, T. H. N., R. 4 E

30.00 a Creek 20 lbs. wide course S E

40.00 set q. sec. part from which

a Beech 9 in. diameter S 70° E 6 lbs. dit. 8

a — 8 " " " N 66° W 22 " "

61.95 an Ash 44 " "

80.00 set part cor. of sec. 24 & 25 from which

a Beech 24 in. diameter S 70° E 32 lbs. dit. 8

an Ash 12 " " " N 46° E 34 " "

Over good farming land, timber Beech, Ash &
 Upr. Spice

North on the E. Boundary of Sec. 24, T. H. N., R. 4 E

9.50 a Beech 14 in. dia.

40.00 set q. sec. part from which

an Elm 10 in. diameter S 19° E 37 lbs. dit. 8

an Hornbeam " " " N 33° W 6 " "

50.45 a Beech 15 " "

80.00 set part cor. of sec. 13 & 24 from which

a Gum 8 in. diameter S 30° E 8 lbs. dit. 8

a Beech 14 " " " N 81° E — " "

Land & timber as last noted.

North on the E. Boundary of Sec. 13, T. H. N., R. 4 E

25.08 a Beech 22 in. dia.

T. 14 N., R. 5 E., S. 1 Mer. Ind. a

40.00 Set g. sec. post from which
 an Hornbeam 8 in. dia. bears N 37° E 8 lbs. dist. 8
 an Ash 13 " " " S 43° E 38 " "
 60.38 a Beech 14 " "
 80.00 Set post cor. of sec. 12 & 13 from which
 an Ash 12 in. dia. bears S 32° E 6 lbs. dist. 8
 an Hornbeam 8 " " " N 17° W 21 " "
 Over good farming land, timber Beech, Ash &
 Upr. Spruce

North on the E. Boundary of Sec. 12, T. 14 N., R. 4 E.

14.82 a Beech 12 in. dia.

40.00 Set g. sec. post from which
 an Elm 30 in. dia. bears S 87° W 6 lbs. dist. 8
 a Do 24 " " " N 15° E 20 " "

80.00 Set post cor. of sec. 1 & 12 from which
 an Ash 13 in. dia. bears N 24° W 27 lbs. dist. 8
 a Beech 20 " " " S 15° W 18 " "
 Over good farming land, timber Beech, Ash,
 Oak & Upr. Spruce

North on the E. Boundary of Sec. 1, T. 14 N., R. 4 E.

40.00 Set g. sec. post from which
 an Ash 10 in. dia. bears S 52° W 10 lbs. dist. 8
 a Do 14 " " " S 85° E 12 " "

80.00 Intersect the cor. of T. 14 & 15 N., R. 4 & 5 E.
 Over level wet land, timber Beech, Ash,
 Elm. Surveyed in 1819 by
 John W. Donald
 Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, T. 14 N., R. 5 E.

T. H. N., R. 5 E. 2. Mer. Ind. a

28.00 an Ark 20 in. dia.

30.00 Sugar Creek 90 lbs. wide course S W

40.00 set of sec. post from which

a Water Beech 6 in. dia. bears N 83 W 32 lbs. dist. 8

a Hackberry 24 " " " S 64 E 4 " "

51.00 a Beech 10 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 8 in. dia. bears N 68 W 9 lbs. dist. 8

a Do 5 " " " S 12 E 16 " "

Land level rich, being mostly creek bottoms,
timber Beech, Ark, W. Oak; Upr. Spruce

East on Random between Sec. 25 & 36

15.50 Sugar Creek 80 lbs. wide course S W

40.00 set temp. of sec. post

81.00 Intersect E. Boundary 40 lbs. S. of post -

First 1/2 mile 1st rate, last 1/2 mile rolling,
timber as before noted. At this corner there are
a number of marks and witnesses and the
appearance of 2 or more Range lines, some
obliterated & some not, which renders it
impossible to determine the true line

West Connected between Sec. 25 & 36

40.50 set of sec. post at aver. dist. from which

a Beech 5 in. dia. bears S 2 W 16 lbs. dist. 8

a Do 4 " " " N 31 E 12 " "

81.00 to sec. cor.

North between Sec. 25 & 26

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 25 E 32 lbs. dist. 8

an Ark 18 " " " S 66 W 14 " "

T. 14 N., R. 5 E. 2^d Mer. Ind^a

80.00 Set post cor. of sec. 23, 24, 25 & 26 from which
an Ash 36 in. dis. bears N 35° W 9 lks. dist. &
a Beech 14 " " " S 30° W 11 " "

Land level good 2^d rate, timber as before noted.

Note. This line we resurveyed, it having diverged,
the true line is therefore East of the obliterated one,
at the corner it is 2.25 lks. East.

East on Random between Sec. 24 & 25

40.00 Set temp. of sec. post

48.50 Sugar Creek 50 lks. wide course S W

80.50 Intersect E. Boundary 118 lks. S. of post —
Land rolling 2^d rate

West Corrected between Sec. 24 & 25

40.25 Set of sec. post at aver. dist. from which
a Beech 12 in. dis. bears S 33° W — lks. dist. &
a Sugar 4 " " " N 14° W 4 " "

80.50 to sec. cor.

North between Sec. 23 & 24

8.90 an Elm 24 in. dis.

40.00 Set of sec. post from which
a Beech 12 in. dis. bears S 7° E 44 lks. dist. &
a Do 18 " " " N 4° W 39 " "

55.15 an Elm 15 " "

56.00 a Stream 15 lks. wide course W

80.00 Set post cor. of sec. 13, 14, 23 & 24 from which
a Beech 12 in. dis. bears N 9° E 14 lks. dist. &
a Do 24 " " " S 31° E 18 " "

Land rolling 2^d rate, timber Beech, Ash, Sugar
Hindwood Spice

T. 14 N., R. 5 E. L. Mer. Ind.^a

East on Random between Sec. 13 & 24

10.00 a Stream 20 lbs. wide course S^W

40.00 set temp. of sec. post

60.00 Sugar Creek 120 lbs. wide course S

80.60 Intersect E. Boundary 250 lbs. S. of post -

Land rolling 2^d rate, timber as before noted.Sugar Creek here is wider & deep water, having but
little fall, sandy bottom slow banks.

West Connected between Sec. 13 & 24

40.30 set of sec. post at aver. dist. from which

a Hickory 8 in. dia. bears S 69° W 15 lbs. dist. 8

a Beech 7 " " " N 55° E 8 " "

80.60 to sec. cor.

North between Sec. 13 & 14

8.75 an Ash 24 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears S 89° W 20 lbs. dist. 8

a Walnut 6 " " " S 22° E 21 " "

66.07 a Beech 11 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 15 in. dia. bears N 22° E 20 lbs. dist. 8

a Do 18 " " " S 5° E 14 " "

Land rolling good 2^d rate, Beech, Ash, Poplar,
R. Oak - Upr. Spice 12th July 1820

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

41.50 a Stream 10 lbs. wide course S^W

81.50 Intersect E. Boundary 50 lbs. S. of post -

Land level 2^d rate, last 1/2 mile fallen timber
very bushy

T. 14 N., R. 5 E. 2. Mer. Ind. a

West Connected between Sec. 12 & 13

44.75 set g. sec. post at aver. dist. from which
 a Cottonwood 30 in. dia. bears S 44° W 48 lbs. dist. 8
 a Water Beech 8 " " " N 20° W 38 " "
 81.50 to sec. cor.

North between Sec. 11 & 12

15.08 a Beech 18 in. dia.
 44.00 set g. sec. post from which
 a Beech 12 in. dia. bears S 23° W 12 lbs. dist. 8
 a Do 15 " " " N 12° E 27 " "
 63.90 a Do 10 " "
 80.00 set post cn. of sec. 1, 2, 11 & 12 from which
 an Ash 30 in. dia. bears S 10° W 20 lbs. dist. 8
 a Do 6 " " " S 66° E 27 " "
 Sand level 2. rate, Beech, Ash, W. Oak, Wp. Spruce

East on Random between Sec. 12 & 12

44.00 set temp. g. sec. post
 82.39 Intersub E. Boundary 58 lbs. S. of Subdivision
 post, and 407 lbs. S. of 2 Bearing trees without
 post or numbers, which we take for the cn. of Sec.
 1 & 12. At 79.50 there is an additional line
 but obliterated. There being 2 lines one obliterated,
 the other either erroneously marked or
 not marked at all.
 Sand & timber as before noted.

West Connected between Sec. 1 & 12

41.19 set g. sec. post at aver. dist. from which
 a Beech 15 in. dia. bears N 6° E 12 lbs. dist. 8
 an Ash 6 " " " S 38° W 14 " "
 82.39 to sec. cor.

T. 14 N., R. 5 E. 2. Mer. Ind.^a

North between Sec. 1 & 2

8.16 an Ash 24 in. dia.

40.00 set of sec. port from which

a Beech 18 in. dia. bears N 69 E 7 1/2 hrs. dist. 8

a Do 16 " " " S 39 W 11 " "

58.56 an Ash 8 " "

82.55 Intersect N. Boundary 175 hrs. W. of port -

set port cor. of sec. 1 & 2 from which

a Beech 12 in. dia. bears N 72 E 19 hrs. dist. 8

a Do 15 " " " S 36 W 31 " "

Sand level 2^d rate, Beech, Ash, Poplar, W. Oak,Underbrush Spice 4. 13th July 1820

North between Sec. 34 & 35

1.90 a Beech 15 in. dia.

40.00 set of sec. port from which

a Beech 15 in. dia. bears S 27 E 26 hrs. dist. 8

a Do 24 " " " S 45 W 12 " "

74.16 an Ash 8 " "

80.00 set port cor. of sec. 26, 27, 34 & 35 from which

a Sugar 6 in. dia. bears N 3 E 21 hrs. dist. 8

an Ironwood 4 " " " S 2 E 31 " "

Sand level good 2^d rate, timber Beech, Ash,
Poplar, W. Oak - Upr. Spice

East on Random between Sec. 26 & 35

10.00 a Stream 40 hrs. wide course S E

40.00 set temp. of sec. port

47.50 a Stream 15 hrs. wide course S

80.07 Intersect N. S. line 4 hrs. S. of port -

Sand rolling 1st rate, timber as before noted.

West connected between Sec. 26 & 35

T. H. N., R. 5 E. 2. Mer. Ind.^a

40.03 set g. sec. port at aver. dist. from which
 a Beech 15 in. dia. bears S 67° W 21 lbs. dist. 8
 a Do 10 " " " S 15° E 18 " "
 80.07 to sec. cor.

North between Sec. 26 & 27

23.00 a Sugar 14 in. dia.

40.00 set g. sec. port from which
 a Buckeye 12 in. dia. bears S 78° W 15 lbs. dist. 8
 a Beech 14 " " " N 6° E 30 " "

60.50 a Stream 60 lbs. wide course S E, nearly South

70.40 an Ash 18 in. dia.

80.00 set port cor. of Sec. 22, 23, 26 & 27 from which
 an Ash 6 in. dia. bears S 78° W 6 lbs. dist. 8
 a Do 4 " " " N 11° E 32 " "

First 1/2 mile rolling rich - last 1/2 mile Beech,
 Ash, W. Oak - Wp. Spruce

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. port

58.50 a Stream 30 lbs. wide course S

80.00 ~~Intersect~~: No 4. line 140 lbs. S. of port -
 Sand rolling, soil thin

West Barreter between Sec. 23 & 26

40.00 set g. sec. port at aver. dist. from which
 a Beech 15 in. dia. bears S 46° E 28 lbs. dist. 8
 a Do 18 " " " N 49° W 28 " "

80.00 to sec. cor.

North between Sec. 22 & 23

3.00 a Bayou from and parallel with the Creek
 40.00 set g. sec. port from which

T. 14 N., R. 5 E., T. 2. Mer. Ind. a

a W. Oak 7 in. dia. bears N 43 E 12 1/2 Ms. dist. 8
 an Ash 20 " " " S 14 W 17 " "
 47.06 a Beech 20 " "
 80.00 set post cor. of Sec. 14, 15, 22 & 23 from which
 a Water Beech 5 in. dia. bears N 80 E 21 Ms. dist. 8
 a Beech 10 " " " N 65 W 29 " "
 Land rolling, soil thin, mostly Beech - Spice

East on Random between Sec. 14 & 23

40.00 set temp. of sec. post
 78.20 Intersect N & S line 132 Ms. E. of post -
 Land rolling, part fallen timber, soil very
 thin, timber as before noted.

West Connected between Sec. 14 & 23

39.10 set of sec. post at aver. dist. from which
 a Beech 20 in. dia. bears N 83 W 23 Ms. dist. 8
 a Dr 6 " " " N 50 E 4 " "
 78.20 to sec. cor.

North between Sec. 14 & 15

40.00 set of sec. post from which
 a Beech 30 in. dia. bears S 58 E 17 Ms. dist. 8
 a Dr 6 " " " S 2 E 39 " "
 51.47 an Elm 10 " "
 80.00 set post cor. of Sec. 10, 11, 14 & 15 from which
 a Beech 12 in. dia. bears S 67 W 21 Ms. dist. 8
 a Dr 10 " " " S 60 E 34 " "
 Land 1 1/2 mile thin Beech land - last 1/2 mile
 Irate land

East on Random between Sec. 16 & 14

40.00 set temp. of sec. post

T. 14 N., R. 5 E. 2^d Mer. Ind.^a

65.50 a wet weather draft course SE

78.81 Intersect N & S line 23rd M. N. of port -

Sand rolling, soil thin, Beech, Ash, Hickory,
Wye, Spice

West Connected between Sec. 11 & 14

39.40 set g. sec. port at aver. dist. from which
a Beech 11 in. diam. N 59° W 11 M. dist. 8

a Do 10 " " " N 61° E 25 " "

78.81 to Sec. cor.

North between Sec. 10 & 11

34.66 a Beech 8 in. dia.

40.00 set g. sec. port from which

a Beech 12 in. diam. N 1° W 22 M. dist. 8

a Do 6 " " " S 70° E 19 " "

54.60 a Do 20 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a Beech 20 in. diam. S 56° E 10 M. dist. 8

a Do 12 " " " N 3° E 18 " "

Sand beautifully rolling rich, timber Beech,
Ash, Walnut, Poplar, W. Oak, but little Under-
brush Spice. Friday 14th July 1820

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. port

77.70 Intersect N & S line 70 M. S. of port -

First 1/2 mile 2^d rate, last 1/2 mile inclining to
wet, timber as before noted

West Connected between Sec. 2 & 11

38.85 set g. sec. port at aver. dist. from which

a Beech 12 in. diam. N 18° W 21 M. dist. 8

T. 14 N., R. 5 E. 2^d. Mer. Ind^a.

a Beech 15 in. diameter S 49 W 45 lbs. dist. 8
77.70 to sec. cor.

North between Sec. 2 & 3

40.00 set g. sec. post from which
a Beech 8 in. diameter S 61 E 13 lbs. dist. 8
a Hickory 10 " " " North 14 " "
44.70 a Beech 20 " "
79.80 Intersect N. Boundary 58 lbs. N. of post —
set post at intersection cor. of sec. 2 & 3 from which
a Beech 20 in. diameter S 18 E 10 lbs. dist. 8
a Dr 8 " " " N 83 W 24 " "
First 1/2 mile 2^d. rate, last 1/2 mile rich, timber
Beech, Ark, Poplar, Sugar, Wyr. Spice

North between Sec. 33 & 34

3.75 a Beech 15 in. dia.
40.00 set g. sec. post from which
a Beech 24 in. diameter N 9 W 8 lbs. dist. 8
a Dr 12 " " " S 41 E 6 " "
45.64 an Ark 18 " "
80.00 set post cor. of sec. 27, 28, 33 & 34 from which
a Beech 12 in. diameter N 51 E 24 lbs. dist. 8
a Water Beech 5 " " " S 57 W 10 " "
First 1/2 mile soil thin, last 1/2 mile 2^d rate,
timber Beech, Ark, W. Oak — Wyr. Spice &

~~East on Random between Sec. 2 & 11~~

~~40.00 set temp. g. sec. post~~
~~77.70 Intersect N. & S. line 70 lbs. S. of post —~~
~~First 1/2 mile 2^d rate, last 1/2 mile inclining to wet,~~
~~timber as before noted.~~

T. 14 N., R. 5 E., T. 1 Mer. Ind. a

East in Random between Sec. 27 & 34

46.00 set temp. g. sec. post

79.20 Intersect N & S. line 700 yds. E. of post -

Land rolling E. rate, Beech, Ash, Poplar, W. Oak,
Upland Spruce

West Connected between Sec. 27 & 34

39.60 set g. sec. post at aver. dist. from which

a Sugar 36 in. dia. bears S 45 E 2 1/2 m. dist. 8

a Beech 10 " " " S 82 W 6 " "

79.20 to sec. cor.

North between Sec. 27 & 28

11.89 a Beech 14 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 47 W 33 m. dist. 8

a Dr 24 " " " S 18 E 17 " "

50.34 a Dr 15 " "

80.00 set post cor. of Sec. 21, 22, 27 & 28 from which

a Beech 14 in. dia. bears N 29 E 34 m. dist. 8

a Sugar 12 " " " S 16 E 14 " "

Land level E. rate, Beech, Ash, Sugar - Spruce

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

71.50 a Stream 60 yds. wide course S

80.54 Intersect N & S. line 300 yds. E. of post -

Land rolling, at the creek broken high banks,
a good current

West Connected between Sec. 22 & 27

40.27 set g. sec. post at aver. dist. from which

an Ash 5 in. dia. bears S 68 E 17 m. dist. 8

T.H.N., R.5 E.2. Mer. Ind. a.

an Elm 4 in. diameter N42 W 3 lbs. dist.
80.54 to sec. cor.

North between Sec. 21 & 22

7.00 a Stream 8 lbs. wide course S E
40.00 set g. sec. post from which
a Beech 8 in. diameter S 32 E 22 lbs. dist. 8
a Dogwood 5 " " " N 28 W 31 " "
71.90 a Beech 12 " "
80.00 set post cor. of sec. 15, 16, 21 & 22 from which
a Beech 36 in. diameter S 25 W 31 lbs. dist. 8
a Do 6 " " " N 40 W 29 " "
Land level & high, but a terrible thicket of
Ash, Spice, green Briers &c. being a very ancient
fallen timber. Saturday 15th July 1820

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. post
47.50 a Stream 50 lbs. wide course S.
79.83 Intersect N & S. line 94 lbs. S. of post—
Land rolling high creek banks, soil thin
very brushy. Sunday 16th July 1820

West Connected between Sec. 15 & 22

39.91 set g. sec. post at aver. dist. from which
a Beech 18 in. diameter N 39 E 38 lbs. dist. 8
a W. Oak 4 " " " S 68 W 19 " "
79.83 to sec. cor.

North between Sec. 15 & 16

19.50 a Stream 25 lbs. wide course N E
22.05 a Beech 8 in. dia.
40.00 set g. sec. post from which

T. H. N., R. 5 E. 2. Mer. Ind. a

- a Beech 14 in. dia. bears N 24 E 23 lbs. dist. 8
 a Dr 6 " " " S 24 W 12 " "
 42.00 a small water draft without water, SE
 51.95 a Beech 12 in. dia.
 80.00 set part cor. of sec. 9, 10, 15 & 16 from which
 a Beech 24 in. dia. bears S 79 W 23 lbs. dist. 8
 a Dr 20 " " " N 12 W 27 " "
 Land level 2^d rate, mostly Beech - Upr. Spruce
-

East on Random between Sec. 10 & 15

- 25.00 a small water course SE
 39.00 a stream 40 lbs. wide course SE
 40.00 set temp. g. sec. part
 54.50 a Stream 20 lbs. wide course S. perhaps part
 of the last
 78.24 Intersect N & S line 205 lbs. S. of part -
 Land level rich, timber Beech & Ash - Spruce
-

West Connected between Sec. 10 & 15

- 39.12 set g. sec. part at aver. dist. from which
 a Locust 16 in. dia. bears S 37 E 15 lbs. dist. 8
 a Maple 10 " " " North 54 " "
 78.24 to sec. cor.
-

North between Sec. 9 & 10

- 3.00 an Ash 15 in. dia.
 40.00 set g. sec. part from which
 a Beech 24 in. dia. bears S 67 E 15 lbs. dist. 8
 a Dr 19 " " " S 66 W 5 " "
 42.50 a Stream 15 lbs. wide course E
 47.45 a Beech 15 in. dia.
 70.50 a Stream 8 lbs. wide course SE
 80.00 set part cor. of sec. 3, 4, 9 & 10 from which

T. 14 N., R. 5 E. 2^d. Mer. Ind^a.

a Beech 11 in. dia. leans N 16° W 28 lbs. dist. 8
 an Ash 9 " " " S 19° W 15 " "
 Land rolling & rate, timber Beech, Ash, W. Oak,
 Hickory - Upr. Spruce

East on Random between Sec. 3 & 10

25.50 a Stream 35 lbs. wide course SE
 40.00 set temp. g^o sec. port
 78.98 Intersect N & S line 216 lbs. S. of port -
 Land rolling good & rate, timber as before noted

West Connected between Sec. 3 & 10

39.49 set g^o sec. port at av. dist. from which
 a Hackberry 12 in. dia. leans S 45° W 23 lbs. dist. 8
 a Buckeye 8 " " " N 49° E 12 " "
 78.98 to sec. cor.

North between Sec. 3 & 4

12.00 a small stream now dry course E
 40.00 set g^o sec. port from which
 a Beech 17 in. dia. leans S 1° W 23 lbs. dist. 8
 a Do 20 " " " N 12° W 26 " "
 42.00 a Do 15 " "
 44.00 a stream in wet weather, course SE
 79.84 Intersect N. Boundary 98 lbs. W. of port -
 set port at intersection cor. of Sec. 3 & 4 from which
 a Beech 24 in. dia. leans N 87° E 41 lbs. dist. 8
 a Do 8 " " " N 73° W 34 " "
 Land rolling & rate, timber as before noted.

North between Sec. 32 & 33

10.97 a Beech 15 in. dia.
 40.00 set g^o sec. port from which

T. 14 N., R. 5 E. 2. Mer. Ind.?

a Beech 15 in. diam. S 36 W 34 lbs. dist. 8
 a Do 8 " " " N 39 W 14 " "
 60.66 a Do 8 " "
 80.00 set port cor. of sec. 28, 29, 32 & 33 from which
 a Beech 9 in. diam. S 19 W 27 lbs. dist. 8
 a Do 8 " " " N 47 W 3 " "
 Land rolling S. rate, Beech, Ash &c.

East in Random between Sec. 28 & 33
 25.00 a Stream 15 lbs. wide course S E
 40.00 set temp. of sec. port
 80.10 Intersect N & S line 240 lbs. S. of port -
 Land rolling, soil thin

West Connected between Sec. 28 & 33
 40.05 set of sec. port at over. dist. from which
 a Beech 12 in. diam. S 55 E 4 lbs. dist. 8
 a Do 8 " " " N 9 W 28 " "
 80.10 to sec. cor. 17th July 1820

North between Sec. 28 & 29
 8.75 a Beech 8 in. dia.
 15.50 a Stream 15 lbs. wide course S E
 40.00 set of sec. port from which
 an Ash 8 in. diam. S 24 W 14 lbs. dist. 8
 a Beech 10 " " " N 4 W 8 " "
 51.80 a Do 10 " "
 80.00 set port cor. of sec. 20, 21, 28 & 29 from which
 an Elm 5 in. diam. S 11 W - lbs. dist. 8
 an Ash 6 " " " N 40 W 31 " "
 Land level inclining to wet barely S. rate, timber
 Beech, Ash, Hickory, W. Oak, Poplar &c. Under-
 brush Spice - comes in fallen timber

T.H.N., R. 5 E. 2. Mer. Ind.^a

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post

79.00 Intersect N & S. line 350 Yds. S. of post -

Land level 2^d rate, timber as before noted, bad
fallen timber

West Connected between Sec. 21 & 28

39.50 set g. sec. post at av. dist. from which
an Elm 4 in. dia. bears S 80 W 4 Yds. dist. & S
a Spr 3 " " " S 41 E 2 " "

79.00 to sec. cor.

North between Sec. 20 & 21

16.50 an Ash 12 in. dia.

40.00 set g. sec. post from which
a Sugar 12 in. dia. bears S 55 E 19 Yds. dist. &
a Dogwood 5 " " " S 89 W 5 " "

58.75 a Beech 18 " "

80.00 set post cor. of Sec. 16, 17, 20 & 21 from which
a Beech 20 in. dia. bears South 21 Yds. dist. &
a Spr 15 " " " N 57 W 20 " "
Land level 2^d rate, Beech, Ash, W. Oak; Wyr.
Spice very close & large

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

79.78 Intersect N & S. line 114 Yds. S. of post -

Land level 2^d rate, timber as before - no water

West Connected between Sec. 16 & 21

39.89 set g. sec. post at av. dist. from which
a Beech 20 in. dia. bears S 59 W 39 Yds. dist. &
a Spr 15 " " " N 37 E 17 " "

T. H. N., R. 5 E. T. Mer. Ind. a

79.78 to sec. cor.

North between Sec. 16 & 17

27.00 a Stream 15 Ms. wide course E

40.00 Set g. sec. post from which

an Ash 20 in. diameter N 47° W 17 Ms. dist. 8

a Do 14 " " " S 9° E 37 " "

54.25 an Elm 15 " "

80.00 Set post cor. of sec. 8, 9, 16 & 17 from which

an Ash 12 in. diameter S 8° E 14 Ms. dist. 8

a Do 12 " " " N 64° W 9 " "

Land level 2^d rate, Beech, Ash, W. Oak, Hickory -
Wys. Spice

East on Random between Sec. 9 & 16

40.00 Set temp. g. sec. post

80.10 Intersect N & S. line 210 Ms. S. of post -

Land & timber the same as on the last line

West Connected between Sec. 9 & 16

40.05 Set g. sec. post at aver. dist. from which

a Beech 20 in. diameter N 41° E 12 Ms. dist. 8

a Do 5 " " " S 5° W 15 " "

80.10 to sec. cor.

North between Sec. 8 & 9

40.00 Set g. sec. post from which

a Beech 25 in. diameter N 15° W 26 Ms. dist. 8

a Do 12 " " " S 67° E 20 " "

45.00 a Stream 20 Ms. wide course NE

68.20 a Beech 12 in. dia.

80.00 Set post cor. of sec. 4, 5, 8 & 9 from which

a Beech 8 in. diameter S 17° E 11 Ms. dist. 8

T. H. N., R. 5 E. 2. Mer. Ind.

an Ash 18 in. diam bears N10 E 20 lbs. dist.
Land level 2^d rate, Beech, Ash & Upr. Spice &c.

East on Random between Sec. 4 & 9

40.00 set temp. g. sec. port

79.62 Intersect N & S line 30 lbs. S. of port -

Land & timber the same as on the last line

West Connected between Sec. 4 & 9

39.81 set g. sec. port at aver. dist. from which

a Beech 22 in. diam bears S 60 E 6 lbs. dist. 8

a Do 5 " " " N10 E 16 " "

79.62 to sec. cor.

North between Sec. 4 & 5

29.40 a W. Oak 50 in. dia.

40.00 set g. sec. port from which

a Beech 12 in. diam bears S 87 W 29 lbs. dist. 8

a Do 4 " " " N19 W 14 " "

47.64 an Ash 10 " "

78.07 Intersect N Boundary 94 lbs. N. of port -

set port cor. of sec. 4 & 5 from which

a Beech 6 in. diam bears S 26 E 11 lbs. dist. 8

an Ash 15 " " " N 88 W 23 " "

First 1/2 mile 2^d rate, last 1/2 mile rich, timber
Beech, Ash, W. Oak, Poplar & on the last 1/2 mile
some quaking Asp. This tier of sections is very
bushy, large spice. Tuesday 18th July 1820

North between Sec. 31 & 32

23.85 a Lym 18 in. dia.

40.00 set g. sec. port from which

a Beech 6 in. diam bears S 19 W 9 lbs. dist. 3

T. H. N., R. 5 E. 2. Mer. Ind. ^a

an Ash 8 in. diameter N 2 W 25 lbs. dist.

51.52 a B. Oak 36 " "

58.00 a Stream 15 lbs. wide course S E

80.00 at post cor. of sec. 29, 30, 31 & 32 from which

a Beech 7 in. diameter S 3 W 38 lbs. dist. 8

a Spr 12 " " " N 21 E 17 " "

Land rolling S. rate, Beech, Ash, W. Oak;
Underbrush Spice 4.

East on Random between Sec. 29 & 32

40.00 at temp. of sec. post

80.10 Intersect N & S. line at post—

Land level S. rate, timber Beech, Ash, W. Oak

West Corrected between Sec. 29 & 32

40.15 at g. sec. post at aver. dist. from which

a Beech 20 in. diameter S 44 E 8 lbs. dist. 8

a Spr 18 " " " N 16 W 18 " "

80.10 to sec. cor.

West between Sec. 30 & 31

31.38 an Ash 30 in. dia.

31.50 a Stream 20 lbs. wide course S E

40.00 at g. sec. post from which

a Sugar 4 in. diameter S 39 W 12 lbs. dist. 8

a Dogwood 5 " " " N 25 E 9 " "

50.42 a Beech 12 " "

68.25 Intersect W. Boundary 8 lbs. N. of post—

set post at intersection cor. of sec. 30 & 31 from which

a Sugar 11 in. diameter N 1 E 6 lbs. dist. 8

a Beech 15 " " " S 72 E 36 " "

Land rolling, soil thin, timber as before noted

T. 14 N., R. 5 E. 2^d Mer. Ind.^a

North between Sect. 19 & 20

12.87 a Beech 20 in. dia.

40.00 set of sec. post from which

a Beech 7 in. dia. bears S 10 E 19 lbs. dist. 8

a Dr 5 " " " N 14 W 4 " "

48.00 a Stream 12 lbs. wide course E

51.00 a Beech 12 in. dia.

80.00 set post cor. of Sect. 17, 18, 19 & 20 from which

a Beech 18 in. dia. bears S 5 E 18 lbs. dist. 8

a Dr 12 " " " N 12 E 18 " "

Land rolling, soil thin Beech roots high —
Spice &c.

West between Sect. 18 & 19

21.30 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 19 E 7 lbs. dist. 8

an Ash 14 " " " S 21 W 36 " "

52.26 a Beech 18 " "

69.24 Intersect W. Boundary 10 lbs. N. of post —

set post at intersection cor. of Sect. 18 & 19 from which

a R. Oak 50 in. dia. bears S 87 W 22 lbs. dist. 8

a Hickory 11 " " " S 54 E 2 " "

Land & timber as before noted.

North between Sect. 29 & 30

26.20 a Dogwood 6 in. dia.

40.00 set of sec. post from which

an Ash 3 in. dia. bears S 17 W 45 lbs. dist. 8

a Dr 2 " " " North 50 " "

Fallen timber, timber totally destroyed, Under
bush most burnt, land almost clear 25 lbs.
wide course E.

T. H. N., R. 5 E. 2. Mer. Ind. a

70.15 a Beech 12 in. dia.

80.00 set port cor. of sec. 19, 20, 29 & 30 from which
a Beech 24 in. dia. bears N 40° W 10 lbs. dist. 8
a Dr 15 " " " S 74° E 25 " "
Land level 2^d rate, Beech, Ash & Spice 4.

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. port

80.00 Intersect N & S. line 23 lbs. S. of port -
Land level 2^d rate, timber as before

West Encircled between Sec. 20 & 29

40.00 set g. sec. port at aver. dist. from which
a Beech 12 in. dia. bears S 53° E 38 lbs. dist. 8
a Sugar 18 " " " S 80° W 20 " "
80.00 to sec. cor.

West between Sec. 19 & 30

19.35 an Ash 8 in. dia.

40.00 set g. sec. port from which
a Beech 16 in. dia. bears N 63° E 14 lbs. dist. 8
a Dr 15 " " " S 75° W 24 " "

43.04 a Dr 18 " "

68.15 Intersect W. Boundary 33 lbs. S. of port -
set port at intersection cor. of sec. 19 & 30 from which
a Beech 30 in. dia. bears N 48° W 52 lbs. dist. 8
a Dr 15 " " " S 32° E 25 " "
Land rolling, soil thin, timber as before

East on Random between Sec. 17 & 20

40.00 set temp. g. sec. port

79.00 Intersect N & S. line 4 lbs. N. of port -
Land rolling 2^d rate, timber Beech, Ash, W. Oak,

T. H. N., R. 5 E. 2. Mer. Ind.^a

Upr. Spice, last 1/2 mile brushy
Wednesday 19th July 1820

West Connected between Sec. 17 & 20

39.50 set g^r sec. post at aver. dist. from which
a Beech 6 in. diam bears N 15° W 5 lbs. dist. 18
a Do 6 " " " S 22° W 6 " "

79.00 to sec. cor.

North between Sec. 17 & 18

27.75 an Ash 24 in. dia.

29.00 a dry stream 15 lbs. wide course SE

40.00 set g^r sec. post from which
a Sugar 10 in. diam bears N 30° E 11 lbs. dist. 18
a Beech 6 " " " S 45° E 11 " "

57.00 a Hickory 18 " "

80.00 set post cor. of Sec. 7, 8, 17 & 18 from which
a R. Oak 22 in. diam bears N 13° W 20 lbs. dist. 18
a Hickory 12 " " " S 10° W 38 " "
Land rolling E. rate; Beech, Ash, W. Oak; Under
brush Spice, Beech, Dogwood &c.

East on Random between Sec. 8 & 17

40.00 set temp. g^r sec. post

80.10 Intersect N & S line 73 lbs. S. of post -
Land & timber as before noted.

West Connected between Sec. 8 & 17

40.05 set g^r sec. post at aver. dist. from which
a Beech 11 in. diam bears East 5 lbs. dist. 18
a Do 18 " " " West 17 " "

80.10 to sec. cor.

T. H. N., R. 5 E. 2. Mer. Ind. a

West between Sec. 7 & 18

15.42 a Beech 14 in. dia.

40.00 set g'sec. post from which

a Hickory 8 in. dia. bears N 79 E 20 lbs. dist. 8

an Ash 12 " " " S 36 W 9 " "

43.40 a Do 30 " "

68.70 Intersect W. Boundary 37 lbs. N. of post -

set post at intersection cor. of sec. 7 & 18 from which

an Elm 10 in. dia. bears S 30 E 24 lbs. dist. 8

an Ash 6 " " " N 29 W 20 " "

Land rolling 2nd rate, Beech, Ash, W. Oak -

Underbrush Spice, Sugar, Beech &c.

North between Sec. 7 & 8

6.70 an Ash 12 in. dia.

40.00 set g'sec. post from which

a Beech 16 in. dia. bears N 30 E 10 lbs. dist. 8

a Do 11 " " " S 20 E 29 " "

70.00 a dry Branch 10 lbs. wide cor. SE

71.00 an Ash 24 in. dia.

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 12 in. dia. bears N 28 W 37 lbs. dist. 8

a Do 16 " " " S 30 W 9 " "

Land rolling 2nd rate, timber as before noted

East on Random between Sec. 5 & 8

40.00 set temp. g'sec. post

80.50 Intersect N. & S. line 100 lbs. S. of post -

Land & timber as before noted

West Connected between Sec. 5 & 8

40.25 set g'sec. post at area. dist. from which

a Beech 6 in. dia. bears N 33 W 11 lbs. dist. 8

T. 14 N., R. 5 E. 2^d. Mer. Ind.^a

an Ash 12 in. diameter S 7 E 24 lbs. dist.
80.50 to Sec. cor.

West between Sec. 6 & 7

14.20 an Ash 20 in. dia.

40.00 set of sec. post from which

a Beech 14 in. diameter S 82 E 33 lbs. dist. 8

a Dr 12 " " " N 70 W 14 " "

50.20 a Dr 20 " "

68.81 Intersect W. Boundary 110 lbs. N. of post -

set post at intersection cor. of Sec. 6 & 7 from which

a Beech 14 in. diameter N 39 W 16 lbs. dist. 8

a Dr 7 " " " S 28 E 6 " "

Land rolling, soil thin, timber as before

North between Sec. 5 & 6

40.00 set of sec. post from which

a Walnut 14 in. diameter N 64 E 14 lbs. dist. 8

a Beech 12 " " " S 41 W 13 " "

79.66 Intersect N. Boundary 193 lbs. N. of post -

set post at intersection cor. of Sec. 5 & 6 from

which an Elm 36 in. diameter N 40 W 24 lbs. dist. 8

an Ash 8 " " " S 59 E 23 " "

Land rolling S. rate, timber Beech, Ash,

Hickory, Poplar, Sugar, Quaking Aspen &

Underbrush Spice, Dogwood, Beech &

Thursday 20th July 1820

Subdivided at Var. S. 55. E. by

John Hendricks

Dep. Surveyor.

T. 14 N., R. 5 E. 2^d Mer. Ind.^a

General Description.

This Township is badly watered, although there are many wet weather drafts which only head in flats and being at present dry could not be noted as their width and course was unknown. Sugar Creek after it forks diminishes fast by running through a sandy soil which absorbs the water

I certify that the foregoing transcript of Field Notes of the survey of Township N.^o 14 North, in Range N.^o 5 East of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, March 10, 1842

W. B. Cairnes
Sur. Genl.